Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	(compil\$4 same hardware same description same produce) and (select\$4 same option\$4 same different same configur\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 11:07
L4	8	(compil\$4 same hardware same description same produce) and (select\$4 same option\$4 same configur\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 11:15
L5	0	(compil\$4 with hardware with description with produce) and (select\$4 with option\$4 with configur\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 11:15
L6	25	(compil\$4 and hardware and description and produce) same (select\$4 and option\$4 and configur\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 11:28
L8	524	compil\$ with select\$4 with option\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 11:29
L10	141	compil\$ with select\$4 with option\$4 and (peripheral same device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 11:29
L11	53	compil\$ with select\$4 with option\$4 and (peripheral same device) and (different same configur\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 11:30

L12	13	717/106-108,114-119.ccls. and cod\$4 and (peripheral same device) and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 12:07
L13	1948	716/17-18.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 12:07
L14	575	(cod\$4 same hardware same description same language) and (peripheral same device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 12:07
L15	35	716/17-18.ccls. and L14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 12:07
L16	1700	"716"/\$.ccls. and "717"(cod\$4 same chip) and (hardware smae description) and instantiat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 12:08
L17	36	717/106-108,114-119.ccls. and cod\$4 and (peripheral same device) and (hardware same descript\$4) and config\$4 and (compil\$4 same time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/08/24 12:08
S1	0	("6,574,778" "6,578,174" "6,536,028" "6,530,074" "6,366,874" "6,334,207"). pn. and (cod\$4 same peripheral same device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:08

S2	12	("6,574,778" "6,578,174" "6,536,028" "6,530,074" "6,366,874" "6,334,207"). pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:38
S3	656	"716"/\$.ccls. and (cod\$4 same chip)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:00
S4	161	"716"/\$.ccls. and (cod\$4 same chip) and (hardware smae description) and instantiat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:01
S5	8	("716"/\$.ccls. and "717"/\$.ccls.) and (cod\$4 same chip) and (hardware smae description) and instantiat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:10
S6	2	"6272451".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:12
S7	2	IMPLEMENTING same MULTIPLE same INSTANTIATED same CONFIGURABLE same PERIPHERALS same CIRCUIT same DESIGN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:16
S8	9644	hardware same description same language	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:18

			T	T		
S10	502	(cod\$4 same hardware same description same language) and (peripheral same device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:19
S11	270	(cod\$4 same hardware same description same language) and (peripheral same device) and (configurat\$4 and compil\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:19
S12	106	(cod\$4 same hardware same description same language) and (peripheral same device) and (configurat\$4 and compil\$4) and (compil\$4 same time) and (parameter same value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 14:17
S13	503	(cod\$4 same hardware same description same language) and (peripheral same device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON .	2007/01/30 11:02
S14	33	716/17-18.ccls. and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/08/24 12:07
S15	14	(cod\$4 same hardware same description same language) and (peripheral same device) and (configurat\$4 and compil\$4) and (compil\$4 same time) and (parameter same value) and (reusable same software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 14:18
S16	6	("6,574,778" "6,578,174" "6,536,028" "6,530,074" "6,366,874" "6,334,207"). pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/02/15 11:38

						-
S20	490	717/106-108,114-119.ccls. and cod\$4 and (peripheral same device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 12:06
S22	99	717/106-108,114-119.ccls. and cod\$4 and (peripheral same device) and (hardware same descript\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:08
S23	34	717/106-108,114-119.ccls. and cod\$4 and (peripheral same device) and (hardware same descript\$4) and config\$4 and (compil\$4 same time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 12:08
S24	10	(US-20020100029-\$ or US-20040187102-\$ or US-20040083464-\$).did. or (US-6671869-\$ or US-6606588-\$ or US-6996799-\$ or US-6272451-\$ or US-6862563-\$ or US-5519627-\$ or US-6691301-\$).did.	US-PGPUB; USPAT	OR	ON	2007/04/11 15:30
S25	2	"I10" and (strap near2 pin\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 15:31
S26	1	tying near2 strap near2 pins near2 ground near2 power	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 18:01
S27	1	strap near2 pins near2 ground near2 power	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 17:59

S28	5	strap near2 pins near2 power	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	ON	2007/04/12 18:00
S29		tying near2 strap near2 pins near2 power	IBM_TDB US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 18:01
S30	1	ty\$3 near2 strap near2 pins near2 power	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 18:01
S31	4	(ty\$3 or connect\$4 or ground\$4) near2 strap near2 pins near2 power	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 18:02